

## **AMENDMENTS TO THE CLAIMS**

Please add Claims 12-15 as follows.

### **LISTING OF CLAIMS**

1. (previously presented) A radio communication device comprising:  
a first notifying device that notifies of an incoming call by generating a ringer melody, said ringer melody including a plurality of melodic lines;  
selector means for selecting one of the plurality of melodic lines; and  
a second notifying device that notifies of said incoming call, said second notifying device notifies of said incoming call based on said selected one of said plurality of melodic lines; wherein  
the second notifying means is controlled based on signals generated by sound source data of said selected one of said plurality of melodic lines.
2. (previously presented) A radio communication device according to claim 1, wherein said second notifying device includes:  
a vibrator; and  
a vibration control that controls said vibrator, wherein said vibrator is controlled by said vibration control to vibrate based on said one of said plurality of melodic lines.
3. (previously presented) A radio communication device according to claim 1, wherein said second notifying device includes:  
a light emitter; and

a light-emission control that controls said light emitter, said light emitter is controlled by said light-emission control to emit light based on said one of said plurality of melodic lines.

4. (previously presented) A radio communication device according to claim 1, wherein said second notifying device includes:

a display that displays a graphic; and

a display control that controls said display, wherein said display is controlled by said display control to change said graphic based on said one of said plurality of melodic lines.

5. (previously presented) A radio communication device according to claim 1, further comprising a selector that selects said one of said plurality of melodic lines, wherein said second notifying device notifies of said incoming call based on said one of said plurality of melodic lines selected by said selector.

6. (previously presented) A radio communication device comprising:

a ringer melody having a plurality of melodic lines;

first selector means for selecting one of said plurality of melodic lines of said ringer melody;

a first notifying device that notifies of an incoming call by generating said plurality of melodic lines of said ringer melody; and

a second notifying device that notifies of said incoming call based on sound signals generated by sound source data of said one of said plurality of melodic lines.

7. (previously presented) A radio communication device according to claim 6, wherein said second notifying device includes:

a vibrator; and

a vibration control that controls said vibrator, wherein said vibrator is controlled by said vibration control to vibrate based on said one of said plurality of melodic lines.

8. (previously presented) A radio communication device according to claim 6, wherein said second notifying device includes:

a light emitter; and

a light-emission control that controls said light emitter, said light emitter is controlled by said light-emission control to emit light based on said one of said plurality of melodic lines.

9. (previously presented) A radio communication device according to claim 6, wherein said second notifying device includes:

a display that displays a graphic; and

a display control that controls said display, wherein said display is controlled by said display control to change said graphic based on said one of said plurality of melodic lines.

10. (previously presented) A radio communication device according to claim 6, further comprising a selector that selects said one of said plurality of melodic lines, wherein said second notifying device notifies of said incoming call based on said one of said plurality of melodic lines selected by said selector.

11. (previously presented) A radio communication device according to claim 1, further comprising second selector means for selecting said ringer melody from a plurality of ringer melodies.

12. (new) A radio communication device comprising:  
a first notifying means for notifying an incoming call by generating a ringer melody, which includes a plurality of melodic lines; and

a second notifying means for notifying the incoming call, wherein the second notifying means determines sound periods and silent periods based on a signal generated by one of the plurality of melodic lines of the ringer melody and is driven in the sound periods.

13. (new) The radio communication device according to claim 12, wherein the second notifying means includes:

a vibrating means for vibrating at time of receiving the incoming call; and

a vibration control means for controlling the vibrating means in such a manner that the vibrating means is vibrated in the sound periods.

14. (new) The radio communication device according to claim 12, wherein the second notifying means includes:

a light emitting means for emitting light at time of receiving the incoming call; and

a light emission control means for controlling the light emitting means in such a manner that the light emitting means emits the light in the sound periods.

15. (new) The radio communication device according to claim 12, wherein the second notifying means includes:

a display means for displaying an image; and

a display control means for controlling the display means in such a manner that the display means varies the image in the sound periods.